


CAT5e Cable with Link Communication for In-Room Wiring Zūm® Control Systems, Plenum, Orange



- *Preterminated CAT5e cable for Zūm Link device communications within a Zūm® Wired space*
- *RS485 Communications*
- *Plenum-rated jacket*
- *RJ-45 connectors*
- *Available in seven lengths*

The Crestron® [CBL-CAT5E-ZUMLINK-P](#) CAT5e cable provides power and data connections for Zūm Link devices within a Zūm® Wired commercial lighting system. The CBL-CAT5E-ZUMLINK-P wiring is housed in a plenum-rated jacket, and is available in seven lengths from 6 in. (152 mm) to 500 ft (152 m) to provide maximum flexibility for LAN wiring. The 12 ft (4 m) and 25 ft (8 m) cables are also offered in 10 packs.

Zūm Link Wiring

CBL-CAT5E-ZUMLINK-P cables distribute power between Zūm Link devices for in-room device daisy chaining. They provide communications between load controllers, keypads, sensors, and any other devices within a Zūm Wired room as well as transport emergency override capabilities. CBL-CAT5E-ZUMLINK-P cables also distribute power and data between Zūm Net and Zūm Link devices to facilitate network expansion.

Specifications

Cable

Power	Provides 24V power to Zūm Link devices
Terminations	(2) RJ-45 connectors; (1) connector per end

NOTE: RJ-45 connectors are not included with the CBL-CAT5E-ZUMLINK-P-SP500.

Unshielded Twisted Pairs (4)	Colors: Blue/white, orange/white, green/white, brown/white; Conductors: 24 AWG solid copper Insulation: FEP, 0.005 in. nominal thickness
Outer Jacket	Color: Orange; Material: Low smoke PVC
Lengths	CBL-CAT5E-ZUMLINK-P-0.5: 6 in. (152 mm) CBL-CAT5E-ZUMLINK-P-3: 3 ft (0.9 m) CBL-CAT5E-ZUMLINK-P-6: 6 ft (2 m) CBL-CAT5E-ZUMLINK-P-12: 12 ft (4 m) CBL-CAT5E-ZUMLINK-P-25: 25 ft (8 m) CBL-CAT5E-ZUMLINK-P-50: 50 ft (15 m) CBL-CAT5E-ZUMLINK-P-12-10PK: 12 ft (4 m), 10 pack CBL-CAT5E-ZUMLINK-P-25-10PK: 25 ft (8 m), 10 pack CBL-CAT5E-ZUMLINK-P-SP500: 500 ft (152 m) spool

Models

CBL-CAT5E-ZUMLINK-P-0.5

CAT5e Cable with Link Communication for In-Room Wiring Zūm® Control Systems, Plenum, Orange, 6 in.

CBL-CAT5E-ZUMLINK-P-3

CAT5e Cable with Link Communication for In-Room Wiring Zūm® Control Systems, Plenum, Orange, 3 ft

CBL-CAT5E-ZUMLINK-P-6

CAT5e Cable with Link Communication for In-Room Wiring Zūm® Control Systems, Plenum, Orange, 6 ft

CBL-CAT5E-ZUMLINK-P-12

CAT5e Cable with Link Communication for In-Room Wiring Zūm® Control Systems, Plenum, Orange, 12 ft

CBL-CAT5E-ZUMLINK-P-25

CAT5e Cable with Link Communication for In-Room Wiring Zūm® Control Systems, Plenum, Orange, 25 ft

CBL-CAT5E-ZUMLINK-P-50

CAT5e Cable with Link Communication for In-Room Wiring Zūm® Control Systems, Plenum, Orange, 50 ft

CBL-CAT5E-ZUMLINK-P-12-10PK

CAT5e Cable with Link Communication for In-Room Wiring Zūm® Control Systems, Plenum, Orange, 12 ft, 10 Pack

CBL-CAT5E-ZUMLINK-P-25-10PK

CAT5e Cable with Link Communication for In-Room Wiring Zūm® Control Systems, Plenum, Orange, 25 ft, 10 Pack

CBL-CAT5E-ZUMLINK-P-SP500

CAT5e Cable with Link Communication for In-Room Wiring Zūm® Control Systems, Plenum, Orange, 500 ft, Spool

The original language version of this document is U.S. English. All other languages are a translation of the original document.

A list of sales representatives is available online at www.crestron.com/How-To-Buy/Find-a-Representative or contact us for additional information by visiting www.crestron.com/contact/our-locations for your local contact.

The product warranty can be found at www.crestron.com/warranty.

The specific patents that cover Crestron products are listed online at www.crestron.com/legal/patents.

Certain Crestron products contain open source software. For specific information, please visit www.crestron.com/opensource.

Crestron, the Crestron logo, and Zūm are either trademarks or registered trademarks of Crestron Electronics, Inc. in the United States and/or other countries. Other trademarks, registered trademarks, and trade names may be used in this document to refer to either the entities claiming the marks and names or their products. Crestron disclaims any proprietary interest in the marks and names of others. Crestron is not responsible for errors in typography or photography.

Specifications are subject to change without notice.

©2022 Crestron Electronics, Inc.

Rev 10/21/22

CBL-CAT5E-ZUMLINK-P

ZUM®

CAT5e Cable with Link Communication for In-Room Wiring Zūm® Control Systems, Plenum, Orange

