



Manufacturer: Crestron
Model Number: PA07562-1
Description: DMB-4k-O-C-HDCP2: DM-MD64x64/128x128 HDBase-T OUTPUT BLADE
Technical Point of contact: Chris Choi
Title: Senior Electronics Engineer
Phone: (201) 750-7004 x12331
Email address: cchoi@crestron.com
Date (M/D/YYYY): 01/10/2018

Crestron Electronics, Inc.
15 Volvo Drive
Rockleigh, NJ 07647
Tel: 800.237.2041/ 201.767.3400
Fax: 201.767.7576
www.crestron.com

NEW YORK LOS ANGELES ATLANTA DALLAS CHICAGO ORLANDO
TORONTO MEXICO CITY SAO PAULO BRUSSELS MUNICH MILAN
LONDON PARIS BARCELONA DUBAI HONG KONG BEIJING
SINGAPORE MELBOURNE
NEW YORK LOS ANGELES ATLANTA DALLAS CHICAGO ORLANDO
TORONTO MEXICO CITY SAO PAULO BRUSSELS MUNICH MILAN
LONDON PARIS BARCELONA DUBAI HONG KONG BEIJING
SINGAPORE MELBOURNE



Statement of Memory Volatility for DMB-4K-O-C-HDCP2

Volatile and non-volatile memory information/configuration:

Type of Memory	Size of Memory	Purpose of this Memory	Data retention after power off Note:1	User data Note 2	How is data input to this memory?	How is memory protected from accidental overwrite by the user? (e.g. Password, Jumpers, Switch settings, Software) - Enter N/P if it can't be write protected.
1.FLASH PROM (U127)	4 Mega Bits	Device Config	Yes	No	Special software required	Software
2.FLASH PROM (U144)	4 Mega Bits	Device Config	Yes	No	Special software required	Software
3.FLASH PROM (U148)	4 Mega Bits	Device Config	Yes	No	Special software required	Software
4.FLASH PROM (U152)	4 Mega Bits	Device Config	Yes	No	Special software required	Software
5.FLASH PROM (U156)	4 Mega Bits	Device Config	Yes	No	Special software required	Software
6.FLASH PROM (U164)	4 Mega Bits	Device Config	Yes	No	Special software required	Software
7.FLASH PROM (U170)	4 Mega Bits	Device Config	Yes	No	Special software required	Software

(User is defined as end user who ultimately operates this device)

Note 1: Can user data, i.e. Audio, Video, documents (Word, pdf etc.) or spreadsheet be retained after power down?

Note 2: Can user data, i.e. Audio, Video, documents (Word, pdf etc.) or spreadsheet be written to this memory during normal operation? User settings and operational parameters such as volume setting, IP address etc. are not considered User data on this declaration. Only Audio, Video, documents (Word, pdf etc.) or spreadsheet is considered user data.

Crestron Electronics, Inc.

15 Volvo Drive

Rockleigh, NJ 07647

Tel: 800.237.2041/ 201.767.3400

Fax: 201.767.7576

www.crestron.com

NEW YORK LOS ANGELES ATLANTA DALLAS CHICAGO
 TORONTO MEXICO CITY SAO PAULO BRUSSELS MUNICH
 LONDON PARIS BARCELONA DUBAI HONG KONG BEIJING
 SINGAPORE MELBOURNE



Chris Choi Senior Hardware Engineer 1/10/2018

Name, Title Date

Type of Memory	Size of Memory	Purpose of this Memory	Data retention after power off Note 1	User data Note 2	How is data input to this memory?	How is memory protected from accidental overwrite by the user? (e.g. Password, Jumpers, Switch settings, Software) - Enter N/P if it can't be write protected.
8.OTHER --> SPI Flash (U174)	4 Mega Bits	Device Config	Yes	No	Special software required	Software
9.EEPROM U90	32 kilo Bits	System Config	Yes	No	Special software required	Software
10.EEPROM U15	1 Mega Bits	Device Config	Yes	No	Special software required	Software
11.EEPROM U25	1 Mega Bits	Device Config	Yes	No	Special software required	Software
12.EEPROM U29	1 Mega Bits	Device Config	Yes	No	Special software required	Software
13.EEPROM U43	1 Mega Bits	Device Config	Yes	No	Special software required	Software
14.EEPROM U51	1 Mega Bits	Device Config	Yes	No	Special software required	Software

Crestron Electronics, Inc.
 15 Volvo Drive
 Rockleigh, NJ 07647
 Tel: 800.237.2041/ 201.767.3400
 Fax: 201.767.7576
 www.crestron.com

NEW YORK LOS ANGELES ATLANTA DALLAS CHICAGO
 TORONTO MEXICO CITY SAO PAULO BRUSSELS MUNICH
 LONDON PARIS HONG KONG BEIJING
 SINGAPORE MELBOURNE



Type of Memory	Size of Memory	Purpose of this Memory	Data retention after power off Note 1	User data Note 2	How is data input to this memory?	How is memory protected from accidental overwrite by the user? (e.g. Password, Jumpers, Switch settings, Software) - Enter N/P if it can't be write protected.
15.EEPROM U54	1 Mega Bits	Device Config	Yes	No	Special software required	Software
16.EEPROM U65	1 Mega Bits	Device Config	Yes	No	Special software required	Software
17.EEPROM U79	1 Mega Bits	Device Config	Yes	No	Special software required	Software
18.< >	<><>	< >	Yes	Yes	< >	
19.< >	<><>	< >	Yes	Yes	< >	
20.< >	<><>	< >	Yes	Yes	< >	
21.< >	<><>	< >	Yes	Yes	< >	

Crestron Electronics, Inc.
 15 Volvo Drive
 Rockleigh, NJ 07647
 Tel: 800.237.2041/ 201.767.3400
 Fax: 201.767.7576
 www.crestron.com

NEW YORK LOS ANGELES ATLANTA DALLAS CHICAGO ORLANDO
 TORONTO MEXICO CITY SAO PAULO BRUSSELS MUNICH MILAN
 LONDON PARIS BARCELONA DUBAI HONG KONG BEIJING
 SINGAPORE MELBOURNE